

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

### 1.1 Product identifier

Trade name: n-Propyl Alcohol  
Brand: DIYChemicals, Chemboys

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Industrial or Commercial Use only.  
Uses advised against: All other uses.

### 1.3 Details of the supplier of the Safety Data Sheet

Chemboys LLC  
212 Industrial Place,  
Liberty, TX 77575,  
USA

Phone: (855) 243-6722  
E-mail: info@chemboys.com

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

**Classification according to OSHA Hazardous Communication Standard 29 CFR 1910.1200.**

Flammable liquid, category 2  
Eye damage, category 1  
Specific target organ toxicity, single exposure, category 3

### 2.2 Label elements

**Labelling according to OSHA Hazardous Communication Standard 29 CFR 1910.1200:**



**Signal word:** Danger

### Hazard statements:

H225 Highly flammable liquid and vapor.  
H318 Causes serious eye damage.  
H336 May cause drowsiness or dizziness.

### Precautionary statements:

P221 Take any precaution to avoid mixing with combustibles.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
P264 Wash hands thoroughly after handling.  
P330 Rinse mouth.

# Chemboys LLC

## SAFETY DATA SHEET

### n-Propyl Alcohol

Revision Date March-19-2024

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

### 2.3 Other hazards

None known.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture meeting the criteria for classification in accordance with OSHA Hazardous Communication Standard 29 CFR 1910.1200.

### Ingredients:

Name	CAS No.	GHS classification	% (w/v)
1-Propanol	71-23-8	Flam. Liq. 2, H225 Eye Dam. 1, H318 STOT SE 3, H336	>99

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

**Following inhalation:** Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

**Following skin contact:** Rinse skin with water/shower.

**Following eye contact:** In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

**Following ingestion:** Rinse mouth. Call a doctor if you feel unwell.

**Protection of first aider:** Not applicable.

### 4.2 Most important symptoms and effects

**Symptoms:** The known symptoms and effects are described in section 2.2 of this SDS.

**Risks:** Untreated symptoms may result in additional health risks.

#### 4.3 Indication of any immediate medical and special treatment

The physician may contact the national poison centre for advice.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

**Suitable extinguishing media:** Dry chemical, CO<sub>2</sub>, water spray or alcohol-resistant foam.

**Unsuitable extinguishing media:** No data available.

### 5.2 Specific hazards arising from mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour/air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

### 5.3 Advice for fire fighters

#### Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

### 5.4 Other information

No other information available.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**6.1 NOTES FOR NON-EMERGENCY PERSONNEL:** Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

**6.2 ENVIRONMENTAL PRECAUTIONS:** Keep away from drains, surface and ground water. Danger of explosion.

**Notes for those trained to participate in an emergency:**

**6.3 ACCIDENTAL RELEASE MEASURES:** Covering of drains. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage Conditions:** Keep container tightly closed.

**Incompatible materials:** See section 10.

**7.3 Specific end uses**

See section 1.2.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters**

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	1.723 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
DNEL	268 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	1.723 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	136 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs and other threshold levels				
End-point	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	6,83 mg/l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0,683 mg/l	aquatic organisms	marine water	short-term (single instance)
PNEC	96 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	27,5 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	2,75 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
PNEC	1,49 mg/kg	terrestrial organisms	soil	short-term (single instance)

**8.2 Exposure controls**

**Engineering controls:**

Ensure that eyewash stations and safety showers are close to the workstation location.

**Personal Protective equipment:**

Hand:

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer

# Chemboys LLC

## SAFETY DATA SHEET

### n-Propyl Alcohol

Revision Date March-19-2024

thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide

**Body protection:** Appropriate protective clothing should be worn to prevent skin contact.

**Eye:** Wear appropriate chemical protective glasses or goggles or face shields to prevent skin and eye contact especially caused from splashing.

**Respiratory:** Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

**Other measures:** No statement available.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Liquid
<b>Color:</b>	Colorless
<b>Odor:</b>	alcohol
<b>Odor threshold:</b>	No data available
<b>pH:</b>	No data available
<b>Melting point/range:</b>	-127 °C
<b>Boiling point/range:</b>	96 – 98 °C
<b>Flash point:</b>	23,5 °C at 1.013 hPa
<b>Evaporation rate:</b>	No data available
<b>Flammability:</b>	flammable liquid in accordance with GHS criteria
<b>Upper/lower flammability or explosive limits:</b>	No data available
<b>Vapor pressure:</b>	0,3 hPa at 20 °C
<b>Vapor density:</b>	4.5
<b>Relative Density:</b>	No data available
<b>Solubility(ies):</b>	miscible in any proportion (water)
<b>Partition coefficient (n-octanol/water):</b>	No data available
<b>Auto-ignition temperature:</b>	400 °C at 1.013 hPa
<b>Decomposition temperature:</b>	No data available
<b>Viscosity:</b>	No data available
<b>Explosive properties:</b>	No data available
<b>Oxidizing properties:</b>	No data available

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### **10.3 Possibility of hazardous reactions**

Violent reaction with: strong oxidiser, Alkali metals, Alkaline earth metal.

### **10.4 Conditions to avoid**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### **10.5 Incompatible materials**

Rubber articles, different plastics.

### **10.6 Hazardous decomposition products**

Hazardous combustion products: see section 5.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### **General information:**

This product does not contain known human carcinogens.

### **11.1 Information on toxicological effects**

#### **Acute Toxicity:**

No statements available for any of the ingredients.

#### **Skin corrosion/irritation:**

No statements available for any of the ingredients.

#### **Serious eye damage/irritation:**

Causes serious eye damage.

#### **Respiratory or skin sensitization:**

No statements available for any of the ingredients.

#### **Germ cell mutagenicity:**

No statements available for any of the ingredients.

#### **Carcinogenicity:**

This product does not contain known human carcinogens.

#### **Reproductive toxicity:**

No statements available for any of the ingredients.

#### **STOT – single exposure:**

May cause drowsiness or dizziness.

#### **STOT – repeated exposure:**

No statements available for any of the ingredients.

#### **Aspiration hazard:**

No statements available for any of the ingredients.

#### **Likely route(s) of exposure:**

Skin exposure and eye exposure are the most likely to occur. Accidental ingestion is also possible.

## SECTION 12: ECOLOGICAL INFORMATION

### General information:

No statements available for any of the ingredients

### 12.1 Toxicity

No statements available for any of the ingredients.

### 12.2 Persistence and degradability

### Physical- and photochemical elimination:

No statements available for any of the ingredients.

### Biodegradation:

No statements available for any of the ingredients.

### 12.3 Bioaccumulative potential

No statements available for any of the ingredients.

### 12.4 Mobility in soil

### Known/Predicted environmental distribution:

No statements available for any of the ingredients.

### Surface tension:

No statements available for any of the ingredients.

### Adsorption/Desorption:

No statements available for any of the ingredients.

### 12.5 Results of PBT and vPvB assessment

This product does not contain components which are considered to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

No statements available for any of the ingredients.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### Product:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

#### Waste material:

Dispose according to Federal, State, Provincial and Local regulations.

## SECTION 14: TRANSPORT INFORMATION

### 14.1 UN number

ADR/RID/IDMG/IATA: UN 1274

### 14.2 UN proper shipping name

ADR/RID/IDMG/IATA: n-PROPANOL

### 14.3 Transport hazard class(es)

ADR/RID/IDMG/IATA: 3

### 14.4 Packing group

ADR/RID/IDMG/IATA: II

### 14.5 Environmental hazards

ADR/RID/IDMG/IATA: Non-regulated

### 14.6 Special precautions for user

No statements available.

### 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable, as product is not shipped in bulk.

## SECTION 15: REGULATORY INFORMATION

### International Inventories

TSCA: Complies

DSL: All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List.

### US Federal Regulations

**SARA 313:** Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

### SARA 311/312 Hazard Categories

Acute health hazard: Yes

Chronic Health Hazard: No

Fire hazard: Yes

Sudden release of pressure hazard: No

Reactive Hazard: No

### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

### CERCLA



# Chemboys LLC

SAFETY DATA SHEET

## **n-Propyl Alcohol**

Revision Date March-19-2024

---

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### **U.S. State Regulations**

#### **California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### **Canada**

#### **WHMIS Hazard Class**

Not determined.

<b>SECTION 16: OTHER INFORMATION</b>
--------------------------------------

### **Further information**

The information presented in this Safety Data Sheet (SDS) is accurate to the best of our knowledge at the date of publication. The information given within the SDS is meant solely as a guide for safe handling, use, transportation, processing, storage, release and disposal. In no means can the information within the SDS be considered as a warranty or specification for quality.